

Certificate Of Analysis

Certificate ID 134817
Report Date 03-22-2021
Customer PO
Receipt Date 03-16-2021
Test Completion Date 03-22-2021

Analytical Testing Results

Customer Lot 21022532 Lab Sample ID 605994
Description Nutricost Potassium Chloride (1 KG) Serving Size 0.7018 Grams

Analysis	Test Type	Method	Specification	Result	U/M
Aerobic Plate Count	Aerobic Plate Count	AOAC 990.12/GL-412	< 1000	<10	cfu/g
Coliforms	Coliforms	^ AOAC 991.14/GL-420	< 1000	<10	cfu/g
E. coli	E. coli	Modified USP <2022>/GL-425	Negative	Negative	/10g
Staphylococcus aureus	Staphylococcus aureus	^ USP <2022>/GL-441	Negative	Negative	/10g
Salmonella	Salmonella	Modified USP <2022>/GL-465	Negative	Negative	/10g
Yeasts and Molds	Yeasts and Molds	^ AOAC 2014.05/GL-451	< 100	<10	cfu/g
Arsenic (As)	ICP-MS	^ AOAC 993.14/GL-500	< 10	0.0040	mcg/serv
Cadmium (Cd)	ICP-MS	^ AOAC 993.14/GL-500	< 4.1	<0.0005	mcg/serv
Lead (Pb)	ICP-MS	^ AOAC 993.14/GL-500	< 0.5	0.0610	mcg/serv
Mercury (Hg)	DMA	^ EPA 7473/GL-585	< 10	0.0004	mcg/serv
Potassium (K)	ICP-MS	^ AOAC 993.14/GL-500	Report 365	370	mg/serving

Lab Comments:

MFG DATE: 03/16/2021 EXP DATE: 03/2024

Reviewed By: Erik Richter

Approved By: 

Edgar Grigorian, VP of Technical Affairs
On Behalf of Dyad Labs

The results apply only to the sample(s) provided by the client. Client shall not at any time misrepresent or alter the contents of this report. Any violation of these conditions voids this report. Dyad Labs assumes no responsibility, and client hereby waives all claims against Dyad Labs, for interpretation of such results. The results apply only to the sample(s) provided by the client. All work is done in accordance with Dyad Labs Terms and Conditions of Sale. Full text available on www.dyadlabs.com/Terms