

Certificate Of Analysis

Certificate ID 115051
Report Date 10-26-2020
Customer PO
Receipt Date 10-22-2020
Test Completion Date 10-26-2020

Analytical Testing Results

Customer Lot 20100707 Lab Sample ID 583620
Description Nutricost Organic Matcha Powder (Ceremonial Grade) Serving Size 1 Grams

Analysis	Test Type	Method	Specification	Result	U/M
Aerobic Plate Count	Aerobic Plate Count	AOAC 990.12/GL-412	< 10000000	<10	cfu/g
Coliforms	Coliforms	^ AOAC 991.14/GL-420	< 10000	<10	cfu/g
E. coli	E. coli	Modified USP <2022>/GL-425	Negative	Negative	/10g
Staphylococcus aureus	Staphylococcus aureus	^ USP <2022>/GL-441	Negative	Negative	/10g
Salmonella	Salmonella	Modified USP <2022>/GL-465	Negative	Negative	/10g
Yeasts and Molds	Yeasts and Molds	^ AOAC 2014.05/GL-451	< 100000	<10	cfu/g
Arsenic (As)	ICP-MS	^ AOAC 993.14/GL-500	< 10	0.0668	mcg/serv
Cadmium (Cd)	ICP-MS	^ AOAC 993.14/GL-500	< 4.1	0.0295	mcg/serv
Lead (Pb)	ICP-MS	^ AOAC 993.14/GL-500	< 0.5	0.320	mcg/serv
Mercury (Hg)	DMA	^ EPA 7473/GL-585	< 10	0.0039	mcg/serv

Lab Comments:
MFG DATE: 10/22/2020

Reviewed By: Erik Richter

Approved By:



Edgar Grigorian, VP of Technical Affairs
On Behalf of Dyad Labs